L Number	Hits	Search Text	DB	Time stamp
-	58	"AES3"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/21 12:24
-	38	"AES3" and @ad <= "20000914"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 13:59
-	0	("AES3" and @ad <= "20000914") and phase near2 align$6	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/21 12:36
-	24	("AES3" and @ad <= "20000914") and (router or switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/21 12:25
-	19	("AES3" and @ad <= "20000914") and align$6	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/21 13:16
-	5	(("AES3" and @ad <= "20000914") and align$6) not (("AES3" and @ad <= "20000914") and (router or switch))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/21 13:20
-	24	ansi adj2 "S4.40"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/21 13:24
-	19	(ansi adj2 "S4.40") not (("AES3" and @ad <= "20000914") and align$6) not ((("AES3" and @ad <= "20000914") and align$6) not (("AES3" and @ad <= "20000914") and (router or switch)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/21 13:24
-	15	((ansi adj2 "S4.40") not (("AES3" and @ad <= "20000914") and align$6) not ((("AES3" and @ad <= "20000914") and align$6) not (("AES3" and @ad <= "20000914") and (router or switch)))) and word	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/21 13:24
-	14	((ansi adj2 "S4.40") not (("AES3" and @ad <= "20000914") and align$6) not ((("AES3" and @ad <= "20000914") and align$6) not (("AES3" and @ad <= "20000914") and (router or switch)))) and synchroniz$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/21 13:25
-	12	((ansi adj2 "S4.40") not (("AES3" and @ad <= "20000914") and align$6) not ((("AES3" and @ad <= "20000914") and align$6) not (("AES3" and @ad <= "20000914") and (router or switch)))) and synchroniz$4 SAME (frame or sub$1frame or word or channel)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/21 13:25
-	11	(((ansi adj2 "S4.40") not (("AES3" and @ad <= "20000914") and align$6) not ((("AES3" and @ad <= "20000914") and align$6) not (("AES3" and @ad <= "20000914") and (router or switch)))) and synchroniz$4 SAME (frame or sub$1frame or word or channel)) and @ad <= "20000914"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/21 13:26
-	38	"AES3" and @ad <= "20000914"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/23 10:27
-	11934	AES$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/23 11:07
-	9747	(AES$5) and @ad <= "20000914"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/23 10:28

-	0	"AES/3"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 13:57
-	47	"AES 3"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 13:57
-	105	"AES3" "AES-3" "AES 3"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 13:59
-	77	("AES3" "AES-3" "AES 3") and @ad <= "20000914"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 13:59
-	32	(("AES3" "AES-3" "AES 3") and @ad <= "20000914") and align$7	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 09:42
-	5	(("AES3" "AES-3" "AES 3") and @ad <= "20000914") and align$7 WITH phase	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 14:18
-	40	(("AES3" "AES-3" "AES 3") and @ad <= "20000914") and (align$7 or in$1phase)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 11:51
-	0	((("AES3" "AES-3" "AES 3") and @ad <= "20000914") and (align$7 or in$1phase)) and subframe adj a	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 11:52
-	2	((("AES3" "AES-3" "AES 3") and @ad <= "20000914") and (align$7 or in$1phase)) and subframe	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 12:51
-	40	(("AES3" "AES-3" "AES 3") and @ad <= "20000914") and (align$7 or in$1phase)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 14:20
-	1811772	router or switch$2	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 13:07
-	101121	(router or switch$2) and stream	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 13:08
-	235449	(router or switch$2) and frame	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 13:09
-	2395	((router or switch$2) and frame) and subframe	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 13:09
-	1643	((router or switch$2) and frame) and sub-frame	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 13:09
-	3263	((router or switch$2) and frame) and sub$1frame	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 13:10
-	1	(((router or switch$2) and frame) and sub$1frame) and sob	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 13:11
-	11	(((router or switch$2) and frame) and sub$1frame) and ase	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 13:14

–	57	(((router or switch$2) and frame) and sub$1frame) and aes	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 13:21
–	2	((((router or switch$2) and frame) and sub$1frame) and aes) and sub$1frame with payload	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 13:15
–	0	(((router or switch$2) and frame) and sub$1frame) and start-of-sequence	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 13:21
–	206	(((router or switch$2) and frame) and sub$1frame) and start WITH sequence	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 13:25
–	53	((((router or switch$2) and frame) and sub$1frame) and start WITH sequence) and channel with select	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 13:25
–	89	((((router or switch$2) and frame) and sub$1frame) and start WITH sequence) and channel with select$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 13:25
–	10	(((((router or switch$2) and frame) and sub$1frame) and start WITH sequence) and channel with select$3) and phase near2 align$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 13:30
–	29	selectiv$4 adj delay$4 and phase near2 align$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 13:40
–	0	(selectiv$4 adj delay$4 and phase near2 align$4) and dat adj2 bit	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 13:31
–	2	(selectiv$4 adj delay$4 and phase near2 align$4) and data adj2 bit	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 13:31
–	0	(selectiv$4 adj delay$4 and phase near2 align$4) and block adj2 bit	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 13:32
–	18	(selectiv$4 adj delay$4 and phase near2 align$4) and channel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 13:32
–	15	((selectiv$4 adj delay$4 and phase near2 align$4) and channel) and @ad <= "20000914"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 13:35
–	20	(selectiv$4 adj delay$4 and phase near2 align$4) and @ad <= "20000914"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 13:35
–	5	((selectiv$4 adj delay$4 and phase near2 align$4) and @ad <= "20000914") not (((selectiv$4 adj delay$4 and phase near2 align$4) and channel) and @ad <= "20000914")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 13:35
–	2	selectiv$4 NEAR delay$4 and align$4 with block with bit	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 14:19
–	1624	audio adj mix$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 14:19

–	13	audio-mix$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 14:19
–	1624	(audio adj mix$4) audio-mix$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 14:19
–	39	((audio adj mix$4) audio-mix$4) and aes	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 14:20
–	26	(((audio adj mix$4) audio-mix$4) and aes) and @ad <= "20000914"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 14:20
–	12	((((audio adj mix$4) audio-mix$4) and aes) and @ad <= "20000914") and (in-phase or align$4 or phas$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 14:21

–	100	((AES$5) and @ad <= "20000914") and data adj block	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/23 10:28
–	1	((AES$5) and @ad <= "20000914") and data adj block adj bit	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/23 10:34
–	982	((AES$5) and @ad <= "20000914") and (router or switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/23 10:34
–	23	(((AES$5) and @ad <= "20000914") and (router or switch)) and frame and sub$1frame	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/23 10:35
–	46	((AES$5) and @ad <= "20000914") and frame and sub$1frame	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/23 10:35
–	196	((AES$5) and @ad <= "20000914") and (frame or sub$1frame) SAME channel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/23 10:45
–	15	(((AES$5) and @ad <= "20000914") and (frame or sub$1frame) SAME channel) and first adj2 sub$1frame	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/23 11:07
–	2	((((AES$5) and @ad <= "20000914") and (frame or sub$1frame) SAME channel) and first adj2 sub$1frame) and first adj2 sub$1frame .clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/23 10:38
–	20	((AES$5) and @ad <= "20000914") and sub$1frame NEAR3 channel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/23 11:07
–	38	"AES3" and @ad <= "20000914"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 13:32
–	1012	audio adj2 society	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 13:12
–	86	(audio adj2 society) and frame with channel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 13:12
–	13	((audio adj2 society) and frame with channel) and first adj channel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 13:12
–	11	((audio adj2 society) and frame with channel) and second adj channel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 13:12
–	11	(((audio adj2 society) and frame with channel) and first adj channel) and second adj channel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 13:12
–	10	((((audio adj2 society) and frame with channel) and first adj channel) and second adj channel) and @ad <= "20000914"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 13:13
–	60	"AES3"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 13:57
–	24	"AES-3"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/17 13:57